



HYBRID WHEEL

Item#: WR034_WHL032

Wheel Diameter: 80mm

Long body design wheel housing.

55mm high ground clearance.

Ideally used on soft case luggage.






HALF MOON FOOT

Item#: SR004

This design is inspired by the half moon, providing firm balance on any surface.




SPEEDLITE UPRIGHT WHEEL

Item#: WR009 + WHL011

Wheel Diameter: 70mm

Lightweight with stress-reinforced wheel design and elegant look, it provides easy movement for any golf bag covers, luggage, and more.



EASY ACCESS MONO FOOT

Item#: SS004

A simple way to keep luggage, suitcases in balance. Multiple height sizes for any applications.



CRUISER SKID PLATE

Item#: KR005

A great match to protect the bottom of luggage, golf bags, and more. Place for a private logo available.





EASY ACCESS MONO RAIL

Item#: SR008

Material: PP

Protects the luggage's bottom from any scratches and impacts.



METALLIC DUAL SLOT CURVED WEB HANDLE

Item#: HG509

Material: Aluminum

The aluminum handle offers a robust grip with a two-color webbing scheme.



CALIBER WHEEL

Item#: WR030 + WHL007

Size: 90 mmL

Material: PP + TPU

Honeycomb wheel hub provides a premium look and shock-absorbing feature.

EASY ACCESS MONO FOOT

Item#: SS004

Size: 247 mmL

Material: PP

Simple and practical luggage foot.



LOCOMO ROUND TRAY HANDLE

ITEM: PY6703R60R25

- Built with 6463D T6 aluminum tubes, ensuring the handle resists bending and buckling when the load is maxed out.
- Features a flush button design to prevent unintentional extension or retraction.
- You can personalize the look by applying your custom logo directly to the tube surface, creating a unique branding opportunity.
- Ideal as a premium upgrade for all types of luggage, travel bags, equipment cases, and more.



Components:	Handle grip, Middle bracket, Bottom bracket
Color:	Various colors available
Material:	Tubes: Aluminum 6463D T6
	Handle grip: TPR
	Middle, bottom tray: PP
Size:	Coating type: Anodizing, ESD
	Retractable Handle length
	2 section Retracted 690mm
	Extended 1040mm
	3 section Retracted 530mm
	Extended 1040mm